



O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
001	0.040	0.029	0.109	1.02	0.74	2.78	001
002	0.050	0.042	0.142	1.27	1.07	3.61	002
003	0.060	0.056	0.176	1.52	1.42	4.46	003
004	0.070	0.070	0.210	1.78	1.78	5.34	004
005	0.070	0.101	0.241	1.78	2.57	6.13	005
006	0.070	0.114	0.254	1.78	2.90	6.46	006
007	0.070	0.145	0.285	1.78	3.68	7.24	007
008	0.070	0.176	0.316	1.78	4.47	8.03	008
009	0.070	0.208	0.348	1.78	5.28	8.84	009
010	0.070	0.239	0.379	1.78	6.07	9.63	010
011	0.070	0.301	0.441	1.78	7.65	11.21	011
012	0.070	0.364	0.504	1.78	9.25	12.81	012
013	0.070	0.426	0.566	1.78	10.82	14.38	013
014	0.070	0.489	0.629	1.78	12.42	15.98	014
015	0.070	0.551	0.691	1.78	14.00	17.56	015
016	0.070	0.614	0.754	1.78	15.60	19.16	016
017	0.070	0.676	0.816	1.78	17.17	20.73	017
018	0.070	0.739	0.879	1.78	18.77	22.33	018
019	0.070	0.801	0.941	1.78	20.35	23.91	019
020	0.070	0.864	1.004	1.78	21.95	25.51	020
021	0.070	0.926	1.066	1.78	23.52	27.08	021
022	0.070	0.989	1.129	1.78	25.12	28.68	022
023	0.070	1.051	1.191	1.78	26.70	30.26	023
024	0.070	1.114	1.254	1.78	28.30	31.86	024
025	0.070	1.176	1.316	1.78	29.87	33.43	025

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
026	0.070	1.239	1.379	1.78	31.47	35.03	026
027	0.070	1.301	1.441	1.78	33.05	36.61	027
028	0.070	1.364	1.504	1.78	34.65	38.21	028
029	0.070	1.489	1.629	1.78	37.82	41.38	029
030	0.070	1.614	1.754	1.78	41.00	44.56	030
031	0.070	1.739	1.879	1.78	44.17	47.73	031
032	0.070	1.864	2.004	1.78	47.35	50.91	032
033	0.070	1.989	2.129	1.78	50.52	54.08	033
034	0.070	2.114	2.254	1.78	53.70	57.26	034
035	0.070	2.239	2.379	1.78	56.87	60.43	035
036	0.070	2.364	2.504	1.78	60.05	63.61	036
037	0.070	2.489	2.629	1.78	63.22	66.78	037
038	0.070	2.614	2.754	1.78	66.40	69.96	038
039	0.070	2.739	2.879	1.78	69.57	73.13	039
040	0.070	2.864	3.004	1.78	72.75	76.31	040
041	0.070	2.989	3.129	1.78	75.92	79.48	041
042	0.070	3.239	3.379	1.78	82.27	85.83	042
043	0.070	3.489	3.629	1.78	88.62	92.18	043
044	0.070	3.739	3.879	1.78	94.97	98.53	044
045	0.070	3.989	4.129	1.78	101.32	104.88	045
046	0.070	4.239	4.379	1.78	107.67	111.23	046
047	0.070	4.489	4.629	1.78	114.02	117.58	047
048	0.070	4.739	4.879	1.78	120.37	123.93	048
049	0.070	4.989	5.129	1.78	126.72	130.28	049
050	0.070	5.239	5.379	1.78	133.07	136.63	050

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
102	0.103	0.049	0.255	2.62	1.24	6.48	102
103	0.103	0.081	0.287	2.62	2.06	7.30	103
104	0.103	0.112	0.318	2.62	2.84	8.08	104
105	0.103	0.143	0.349	2.62	3.63	8.87	105
106	0.103	0.174	0.380	2.62	4.42	9.66	106
107	0.103	0.206	0.412	2.62	5.23	10.47	107
108	0.103	0.237	0.443	2.62	6.02	11.26	108
109	0.103	0.299	0.505	2.62	7.59	12.83	109
110	0.103	0.362	0.568	2.62	9.19	14.43	110
111	0.103	0.424	0.630	2.62	10.77	16.01	111
112	0.103	0.487	0.693	2.62	12.37	17.61	112
113	0.103	0.549	0.755	2.62	13.94	19.18	113
114	0.103	0.612	0.818	2.62	15.54	20.78	114
115	0.103	0.674	0.880	2.62	17.12	22.36	115
116	0.103	0.737	0.943	2.62	18.72	23.96	116
117	0.103	0.799	1.005	2.62	20.29	25.53	117
118	0.103	0.862	1.068	2.62	21.89	27.13	118
119	0.103	0.924	1.130	2.62	23.47	28.71	119
120	0.103	0.987	1.193	2.62	25.07	30.31	120
121	0.103	1.049	1.255	2.62	26.64	31.88	121
122	0.103	1.112	1.318	2.62	28.24	33.48	122
123	0.103	1.174	1.380	2.62	29.82	35.06	123
124	0.103	1.237	1.443	2.62	31.42	36.66	124
125	0.103	1.299	1.505	2.62	32.99	38.23	125
126	0.103	1.362	1.568	2.62	34.59	39.83	126

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
127	0.103	1.424	1.630	2.62	36.17	41.41	127
128	0.103	1.487	1.693	2.62	37.77	43.01	128
129	0.103	1.549	1.755	2.62	39.34	44.58	129
130	0.103	1.612	1.818	2.62	40.94	46.18	130
131	0.103	1.674	1.880	2.62	42.52	47.76	131
132	0.103	1.737	1.943	2.62	44.12	49.36	132
133	0.103	1.799	2.005	2.62	45.69	50.93	133
134	0.103	1.862	2.068	2.62	47.29	52.53	134
135	0.103	1.925	2.131	2.62	48.90	54.14	135
136	0.103	1.987	2.193	2.62	60.05	63.61	136
137	0.103	2.050	2.256	2.62	52.07	57.31	137
138	0.103	2.112	2.318	2.62	53.64	58.88	138
139	0.103	2.175	2.381	2.62	55.25	60.49	139
140	0.103	2.237	2.443	2.62	56.82	62.06	140
141	0.103	2.300	2.506	2.62	58.42	63.66	141
142	0.103	2.362	2.568	2.62	59.99	65.23	142
143	0.103	2.425	2.631	2.62	61.60	66.84	143
144	0.103	2.487	2.693	2.62	63.17	68.41	144
145	0.103	2.550	2.756	2.62	64.77	70.01	145
146	0.103	2.612	2.818	2.62	66.34	71.58	146
147	0.103	2.675	2.881	2.62	67.95	73.19	147
148	0.103	2.737	2.943	2.62	69.52	74.76	148
149	0.103	2.800	3.006	2.62	71.12	76.36	149
150	0.103	2.862	3.068	2.62	72.69	77.93	150
151	0.103	2.987	3.193	2.62	75.87	81.11	151

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
152	0.103	3.237	3.443	2.62	82.22	87.46	152
153	0.103	3.487	3.693	2.62	88.57	93.81	153
154	0.103	3.737	3.943	2.62	94.92	100.16	154
155	0.103	3.987	4.193	2.62	101.27	106.51	155
156	0.103	4.237	4.443	2.62	107.62	112.86	156
157	0.103	4.487	4.693	2.62	113.97	119.21	157
158	0.103	4.737	4.943	2.62	120.32	125.56	158
159	0.103	4.987	5.193	2.62	126.67	131.91	159
160	0.103	5.237	5.443	2.62	133.02	138.26	160
161	0.103	5.487	5.693	2.62	139.37	144.61	161
162	0.103	5.737	5.943	2.62	145.72	150.96	162
163	0.103	5.987	6.193	2.62	152.07	157.31	163
164	0.103	6.237	6.443	2.62	158.42	163.66	164
165	0.103	6.487	6.693	2.62	164.77	170.01	165
166	0.103	6.737	6.943	2.62	171.12	176.36	166
167	0.103	6.987	7.193	2.62	177.47	182.71	167
168	0.103	7.237	7.443	2.62	183.82	189.06	168
169	0.103	7.487	7.693	2.62	190.17	195.41	169
170	0.103	7.737	7.943	2.62	196.52	201.76	170
171	0.103	7.987	8.193	2.62	202.87	208.11	171
172	0.103	8.237	8.443	2.62	209.22	214.46	172
173	0.103	8.487	8.693	2.62	215.57	220.81	173
174	0.103	8.737	8.943	2.62	221.92	227.16	174
175	0.103	8.987	9.193	2.62	228.27	233.51	175
176	0.103	9.237	9.443	2.62	234.62	239.86	176

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
177	0.103	9.487	9.693	2.62	240.97	246.21	177
178	0.103	9.737	9.943	2.62	247.32	252.56	178
201	0.139	0.171	0.449	3.53	4.34	11.40	201
202	0.139	0.234	0.512	3.53	5.94	13.00	202
203	0.139	0.296	0.574	3.53	7.52	14.58	203
204	0.139	0.359	0.637	3.53	9.12	16.18	204
205	0.139	0.421	0.699	3.53	10.69	17.75	205
206	0.139	0.484	0.762	3.53	12.29	19.35	206
207	0.139	0.546	0.824	3.53	13.87	20.93	207
208	0.139	0.609	0.887	3.53	15.47	22.53	208
209	0.139	0.671	0.949	3.53	17.04	24.10	209
210	0.139	0.734	1.012	3.53	18.64	25.70	210
211	0.139	0.796	1.074	3.53	20.22	27.28	211
212	0.139	0.859	1.137	3.53	21.82	28.88	212
213	0.139	0.921	1.199	3.53	23.39	30.45	213
214	0.139	0.984	1.262	3.53	24.99	32.05	214
215	0.139	1.046	1.324	3.53	26.57	33.63	215
216	0.139	1.109	1.387	3.53	28.17	35.23	216
217	0.139	1.171	1.449	3.53	29.74	36.80	217
218	0.139	1.234	1.512	3.53	31.34	38.40	218
219	0.139	1.296	1.574	3.53	32.92	39.98	219
220	0.139	1.359	1.637	3.53	34.52	41.58	220
221	0.139	1.421	1.699	3.53	36.09	43.15	221
222	0.139	1.484	1.762	3.53	37.69	44.75	222
223	0.139	1.609	1.887	3.53	40.87	47.93	223

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
224	0.139	1.734	2.012	3.53	44.04	51.10	224
225	0.139	1.859	2.137	3.53	47.22	54.28	225
226	0.139	1.984	2.262	3.53	50.39	57.45	226
227	0.139	2.109	2.387	3.53	53.57	60.63	227
228	0.139	2.234	2.512	3.53	56.74	63.80	228
229	0.139	2.359	2.637	3.53	59.92	66.98	229
230	0.139	2.484	2.762	3.53	63.09	70.15	230
231	0.139	2.609	2.887	3.53	66.27	73.33	231
232	0.139	2.734	3.012	3.53	69.44	76.50	232
233	0.139	2.859	3.137	3.53	72.62	79.68	233
234	0.139	2.984	3.262	3.53	75.79	82.85	234
235	0.139	3.109	3.387	3.53	78.97	86.03	235
236	0.139	3.234	3.512	3.53	82.14	89.20	236
237	0.139	3.359	3.637	3.53	85.32	92.38	237
238	0.139	3.484	3.762	3.53	88.49	95.55	238
239	0.139	3.609	3.887	3.53	91.67	98.73	239
240	0.139	3.734	4.012	3.53	94.84	101.90	240
241	0.139	3.859	4.137	3.53	98.02	105.08	241
242	0.139	3.984	4.262	3.53	101.19	108.25	242
243	0.139	4.109	4.387	3.53	104.37	111.43	243
244	0.139	4.234	4.512	3.53	107.54	114.60	244
245	0.139	4.359	4.637	3.53	110.72	117.78	245
246	0.139	4.484	4.762	3.53	113.89	120.95	246
247	0.139	4.609	4.887	3.53	117.07	124.13	247
248	0.139	4.734	5.012	3.53	120.24	127.30	248

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
249	0.139	4.859	5.137	3.53	123.42	130.48	249
250	0.139	4.984	5.262	3.53	126.59	133.65	250
251	0.139	5.109	5.387	3.53	129.77	136.83	251
252	0.139	5.234	5.512	3.53	132.94	140.00	252
253	0.139	5.359	5.637	3.53	136.12	143.18	253
254	0.139	5.484	5.762	3.53	139.29	146.35	254
255	0.139	5.609	5.887	3.53	142.47	149.53	255
256	0.139	5.734	6.012	3.53	145.64	152.70	256
257	0.139	5.859	6.137	3.53	148.82	155.88	257
258	0.139	5.984	6.262	3.53	151.99	159.05	258
259	0.139	6.234	6.512	3.53	158.34	165.40	259
260	0.139	6.484	6.762	3.53	164.69	171.75	260
261	0.139	6.734	7.012	3.53	171.04	178.10	261
262	0.139	6.984	7.262	3.53	177.39	184.45	262
263	0.139	7.234	7.512	3.53	183.74	190.80	263
264	0.139	7.484	7.762	3.53	190.09	197.15	264
265	0.139	7.734	8.012	3.53	196.44	203.50	265
266	0.139	7.984	8.262	3.53	202.79	209.85	266
267	0.139	8.234	8.512	3.53	209.14	216.20	267
268	0.139	8.484	8.762	3.53	215.49	222.55	268
269	0.139	8.734	9.012	3.53	221.84	228.90	269
270	0.139	8.984	9.262	3.53	228.19	235.25	270
271	0.139	9.234	9.512	3.53	234.54	241.60	271
272	0.139	9.484	9.762	3.53	240.89	247.95	272
273	0.139	9.734	10.012	3.53	247.24	254.30	273

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
274	0.139	9.984	10.262	3.53	253.59	260.65	274
275	0.139	10.484	10.762	3.53	266.29	273.35	275
276	0.139	10.984	11.262	3.53	278.99	286.05	276
277	0.139	11.484	11.762	3.53	291.69	298.75	277
278	0.139	11.984	12.262	3.53	304.39	311.45	278
279	0.139	12.984	13.262	3.53	329.79	336.85	279
280	0.139	13.984	14.262	3.53	355.19	362.25	280
281	0.139	14.984	15.262	3.53	380.59	387.65	281
282	0.139	15.955	16.233	3.53	405.26	412.32	282
283	0.139	16.955	17.233	3.53	430.66	437.72	283
284	0.139	17.955	18.233	3.53	456.06	463.12	284
309	0.210	0.412	0.832	5.33	10.46	21.12	309
310	0.210	0.475	0.895	5.33	12.07	22.73	310
311	0.210	0.537	0.957	5.33	13.64	24.30	311
312	0.210	0.600	1.020	5.33	15.24	25.90	312
313	0.210	0.662	1.082	5.33	16.81	27.47	313
314	0.210	0.725	1.145	5.33	18.42	29.08	314
315	0.210	0.787	1.207	5.33	19.99	30.65	315
316	0.210	0.850	1.270	5.33	21.59	32.25	316
317	0.210	0.912	1.332	5.33	23.16	33.82	317
318	0.210	0.975	1.395	5.33	24.77	35.43	318
319	0.210	1.037	1.457	5.33	26.34	37.00	319
320	0.210	1.100	1.520	5.33	27.94	38.60	320
321	0.210	1.162	1.582	5.33	29.51	40.17	321
322	0.210	1.225	1.645	5.33	31.12	41.78	322

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
323	0.210	1.287	1.707	5.33	32.69	43.35	323
324	0.210	1.350	1.770	5.33	34.29	44.95	324
325	0.210	1.475	1.895	5.33	37.47	48.13	325
326	0.210	1.600	2.020	5.33	40.64	51.30	326
327	0.210	1.725	2.145	5.33	43.82	54.48	327
328	0.210	1.850	2.270	5.33	46.99	57.65	328
329	0.210	1.975	2.395	5.33	50.17	60.83	329
330	0.210	2.100	2.520	5.33	53.34	64.00	330
331	0.210	2.225	2.645	5.33	56.52	67.18	331
332	0.210	2.350	2.770	5.33	59.69	70.35	332
333	0.210	2.475	2.895	5.33	62.87	73.53	333
334	0.210	2.600	3.020	5.33	66.04	76.70	334
335	0.210	2.725	3.145	5.33	69.22	79.88	335
336	0.210	2.850	3.270	5.33	72.39	83.05	336
337	0.210	2.975	3.395	5.33	75.57	86.23	337
338	0.210	3.100	3.520	5.33	78.74	89.40	338
339	0.210	3.225	3.645	5.33	81.92	92.58	339
340	0.210	3.350	3.770	5.33	85.09	95.75	340
341	0.210	3.475	3.895	5.33	88.27	98.93	341
342	0.210	3.600	4.020	5.33	91.44	102.10	342
343	0.210	3.725	4.145	5.33	94.62	105.28	343
344	0.210	3.850	4.270	5.33	97.79	108.45	344
345	0.210	3.975	4.395	5.33	100.97	111.63	345
346	0.210	4.100	4.520	5.33	104.14	114.80	346
347	0.210	4.225	4.645	5.33	107.32	117.98	347

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
348	0.210	4.350	4.770	5.33	110.49	121.15	348
349	0.210	4.475	4.895	5.33	113.67	124.33	349
350	0.210	4.600	5.020	5.33	116.84	127.50	350
351	0.210	4.725	5.145	5.33	120.02	130.68	351
352	0.210	4.850	5.270	5.33	123.19	133.85	352
353	0.210	4.975	5.395	5.33	126.37	137.03	353
354	0.210	5.100	5.520	5.33	129.54	140.20	354
355	0.210	5.225	5.645	5.33	132.72	143.38	355
356	0.210	5.350	5.770	5.33	135.89	146.55	356
357	0.210	5.475	5.895	5.33	139.07	149.73	357
358	0.210	5.600	6.020	5.33	142.24	152.90	358
359	0.210	5.725	6.145	5.33	145.42	156.08	359
360	0.210	5.850	6.270	5.33	148.59	159.25	360
361	0.210	5.975	6.395	5.33	151.77	162.43	361
362	0.210	6.225	6.645	5.33	158.12	168.78	362
363	0.210	6.475	6.895	5.33	164.47	175.13	363
364	0.210	6.725	7.145	5.33	170.82	181.48	364
365	0.210	6.975	7.395	5.33	177.17	187.83	365
366	0.210	7.225	7.645	5.33	183.52	194.18	366
367	0.210	7.475	7.895	5.33	189.87	200.53	367
368	0.210	7.725	8.145	5.33	196.22	206.88	368
369	0.210	7.975	8.395	5.33	202.57	213.23	369
370	0.210	8.225	8.645	5.33	208.92	219.58	370
371	0.210	8.475	8.895	5.33	215.27	225.93	371
372	0.210	8.725	9.145	5.33	221.62	232.28	372

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
373	0.210	8.975	9.395	5.33	227.97	238.63	373
374	0.210	9.225	9.645	5.33	234.32	244.98	374
375	0.210	9.475	9.895	5.33	240.67	251.33	375
376	0.210	9.725	10.145	5.33	247.02	257.68	376
377	0.210	9.975	10.395	5.33	253.37	264.03	377
378	0.210	10.475	10.895	5.33	266.07	276.73	378
379	0.210	10.975	11.395	5.33	278.77	289.43	379
380	0.210	11.475	11.895	5.33	291.47	302.13	380
381	0.210	11.975	12.395	5.33	304.17	314.83	381
382	0.210	12.975	13.395	5.33	329.57	340.23	382
383	0.210	13.975	14.395	5.33	354.97	365.63	383
384	0.210	14.975	15.395	5.33	380.37	391.03	384
385	0.210	15.955	16.375	5.33	405.26	415.92	385
386	0.210	16.955	17.375	5.33	430.66	441.32	386
387	0.210	17.955	18.375	5.33	456.06	466.72	387
388	0.210	18.955	19.375	5.33	481.46	492.12	388
389	0.210	19.955	20.375	5.33	506.86	517.52	389
390	0.210	20.955	21.375	5.33	532.26	542.92	390
391	0.210	21.955	22.375	5.33	557.66	568.32	391
392	0.210	22.940	23.360	5.33	582.68	593.34	392
393	0.210	23.940	24.360	5.33	608.08	618.74	393
394	0.210	24.940	25.360	5.33	633.48	644.14	394
395	0.210	25.940	26.360	5.33	658.88	669.54	395
425	0.275	4.475	5.025	6.99	113.67	127.65	425
426	0.275	4.600	5.150	6.99	116.84	130.82	426

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
427	0.275	4.725	5.275	6.99	120.02	134.00	427
428	0.275	4.850	5.400	6.99	123.19	137.17	428
429	0.275	4.975	5.525	6.99	126.37	140.35	429
430	0.275	5.100	5.650	6.99	129.54	143.52	430
431	0.275	5.225	5.775	6.99	132.72	146.70	431
432	0.275	5.350	5.900	6.99	135.89	149.87	432
433	0.275	5.475	6.025	6.99	139.07	153.05	433
434	0.275	5.600	6.150	6.99	142.24	156.22	434
435	0.275	5.725	6.275	6.99	145.42	159.40	435
436	0.275	5.850	6.400	6.99	148.59	162.57	436
437	0.275	5.975	6.525	6.99	151.77	165.75	437
438	0.275	6.225	6.775	6.99	158.12	172.10	438
439	0.275	6.475	7.025	6.99	164.47	178.45	439
440	0.275	6.725	7.275	6.99	170.82	184.80	440
441	0.275	6.975	7.525	6.99	177.17	191.15	441
442	0.275	7.225	7.775	6.99	183.52	197.50	442
443	0.275	7.475	8.025	6.99	189.87	203.85	443
444	0.275	7.725	8.275	6.99	196.22	210.20	444
445	0.275	7.975	8.525	6.99	202.57	216.55	445
446	0.275	8.475	9.025	6.99	215.27	229.25	446
447	0.275	8.975	9.525	6.99	227.97	241.95	447
448	0.275	9.475	10.025	6.99	240.67	254.65	448
449	0.275	9.975	10.525	6.99	253.37	267.35	449
450	0.275	10.475	11.025	6.99	266.07	280.05	450
451	0.275	10.975	11.525	6.99	278.77	292.75	451

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
452	0.275	11.475	12.025	6.99	291.47	305.45	452
453	0.275	11.975	12.525	6.99	304.17	318.15	453
454	0.275	12.475	13.025	6.99	316.87	330.85	454
455	0.275	12.975	13.525	6.99	329.57	343.55	455
456	0.275	13.475	14.025	6.99	342.27	356.25	456
457	0.275	13.975	14.525	6.99	354.97	368.95	457
458	0.275	14.475	15.025	6.99	367.67	381.65	458
459	0.275	14.975	15.525	6.99	380.37	394.35	459
460	0.275	15.475	16.025	6.99	393.07	407.05	460
461	0.275	15.955	16.505	6.99	405.26	419.24	461
462	0.275	16.455	17.005	6.99	417.96	431.94	462
463	0.275	16.955	17.505	6.99	430.66	444.64	463
464	0.275	17.455	18.005	6.99	443.36	457.34	464
465	0.275	17.955	18.505	6.99	456.06	470.04	465
466	0.275	18.455	19.005	6.99	468.76	482.74	466
467	0.275	18.955	19.505	6.99	481.46	495.44	467
468	0.275	19.455	20.005	6.99	494.16	508.14	468
469	0.275	19.955	20.505	6.99	506.86	520.84	469
470	0.275	20.955	21.505	6.99	532.26	546.24	470
471	0.275	21.955	22.505	6.99	557.66	571.64	471
472	0.275	22.940	23.490	6.99	582.68	596.66	472
473	0.275	23.940	24.490	6.99	608.08	622.06	473
474	0.275	24.940	25.490	6.99	633.48	647.46	474
475	0.275	25.940	26.490	6.99	658.88	672.86	475
517	0.070	1.428	1.568	1.78	36.27	39.83	517

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
519	0.070	1.553	1.693	1.78	39.45	43.01	519
532	0.070	3.110	3.250	1.78	79.00	82.56	532
534	0.070	3.360	3.500	1.78	85.34	88.90	534
536	0.070	3.610	3.750	1.78	91.70	95.26	536
538	0.070	3.860	4.000	1.78	98.05	101.61	538
540	0.070	4.110	4.250	1.78	104.40	107.96	540
542	0.070	4.360	4.500	1.78	110.74	114.30	542
544	0.070	4.610	4.750	1.78	117.10	120.66	544
546	0.070	4.860	5.000	1.78	123.44	127.00	546
548	0.070	5.094	5.235	1.78	129.40	132.96	548
550	0.070	5.345	5.485	1.78	135.76	139.32	550
551	0.070	5.470	5.610	1.78	138.94	142.50	551
552	0.070	5.595	5.735	1.78	142.11	145.67	552
553	0.070	5.720	5.860	1.78	145.29	148.85	553
554	0.070	5.845	5.985	1.78	148.46	152.02	554
555	0.070	5.970	6.110	1.78	151.64	155.20	555
556	0.070	6.095	6.235	1.78	154.81	158.37	556
557	0.070	6.220	6.361	1.78	158.00	161.56	557
558	0.070	6.345	6.485	1.78	161.16	164.72	558
559	0.070	6.470	6.610	1.78	164.34	167.90	559
560	0.070	6.595	6.735	1.78	167.51	171.07	560
561	0.070	6.720	6.860	1.78	170.69	174.25	561
562	0.070	6.845	6.985	1.78	173.87	177.43	562
606	0.040	0.070	0.150	1.02	1.78	3.82	606
610	0.070	0.266	0.406	1.78	6.75	10.31	610

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
611	0.070	0.344	0.484	1.78	8.73	12.29	611
613	0.103	0.390	0.596	2.62	9.90	15.14	613
614	0.103	0.469	0.675	2.62	11.91	17.15	614
615	0.103	0.516	0.722	2.62	13.10	18.34	615
615	0.103	0.594	0.800	2.62	15.08	20.32	615
617	0.103	0.703	0.909	2.62	17.86	23.10	617
618	0.139	1.016	1.294	3.53	25.80	32.86	618
619	0.210	2.938	3.358	5.33	74.63	85.29	619
620	0.210	3.139	3.559	5.33	79.73	90.39	620
621	0.210	3.531	3.951	5.33	89.69	100.35	621
622	0.210	3.937	4.357	5.33	100.00	110.66	622
623	0.210	4.313	4.732	5.33	109.54	120.20	623
624	0.275	4.516	5.066	6.99	114.70	128.68	624
625	0.275	4.906	5.456	6.99	124.60	138.58	625
626	0.275	5.295	5.846	6.99	134.50	148.48	626
627	0.275	6.280	6.830	6.99	159.50	173.48	627
628	0.275	6.563	7.113	6.99	166.70	180.68	628
640	0.103	2.925	3.131	2.62	74.30	79.54	640
641	0.103	3.051	3.257	2.62	77.50	82.74	641
642	0.103	3.173	3.380	2.62	80.60	85.84	642
643	0.103	3.299	3.506	2.62	83.80	89.04	643
644	0.210	6.102	6.522	5.33	155.00	165.66	644
645	0.210	6.350	6.770	5.33	161.30	171.96	645
646	0.210	6.602	7.022	5.33	167.70	178.36	646
647	0.210	6.850	7.270	5.33	174.00	184.66	647

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
648	0.275	12.224	12.775	6.99	310.50	324.48	648
649	0.275	12.724	13.275	6.99	323.20	337.18	649
650	0.275	13.224	13.775	6.99	335.90	349.88	650
674	0.275	8.225	8.776	6.99	208.92	222.90	674
676	0.275	8.725	9.276	6.99	221.62	235.60	676
678	0.275	9.225	9.776	6.99	234.32	248.30	678
680	0.275	9.724	10.275	6.99	247.00	260.98	680
682	0.275	10.224	10.775	6.99	259.70	273.68	682
684	0.275	10.724	11.275	6.99	272.40	286.38	684
686	0.275	11.224	11.775	6.99	285.10	299.08	686
688	0.275	11.724	12.275	6.99	297.80	311.78	688
801	0.070	0.125	0.265	1.78	3.17	6.73	801
802	0.070	0.187	0.328	1.78	4.76	8.32	802
803	0.070	0.250	0.390	1.78	6.35	9.91	803
804	0.070	0.313	0.453	1.78	7.94	11.50	804
806	0.070	0.437	0.578	1.78	11.11	14.67	806
807	0.103	0.500	0.706	2.62	12.70	17.94	807
809	0.103	0.625	0.831	2.62	15.88	21.12	809
810	0.103	0.687	0.894	2.62	17.46	22.70	810
812	0.103	0.813	1.019	2.62	20.64	25.88	812
813	0.103	0.875	1.081	2.62	22.23	27.47	813
814	0.103	0.937	1.144	2.62	23.81	29.05	814
824	0.139	1.563	1.841	3.53	39.70	46.76	824
825	0.139	1.625	1.903	3.53	41.28	48.34	825
826	0.139	1.687	1.965	3.53	42.86	49.92	826

O-Ring British Standard BS Sizes




Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
827	0.139	1.770	2.048	3.53	44.95	52.01	827
828	0.139	1.813	2.091	3.53	46.04	53.10	828
829	0.139	1.875	2.153	3.53	47.62	54.68	829
830	0.139	1.937	2.215	3.53	49.20	56.26	830
831	0.139	2.000	2.278	3.53	50.80	57.86	831
832	0.139	2.063	2.341	3.53	52.40	59.46	832
833	0.139	2.125	2.403	3.53	53.97	61.03	833
834	0.139	2.187	2.465	3.53	55.56	62.62	834
835	0.139	2.250	2.528	3.53	57.15	64.21	835
836	0.139	2.313	2.591	3.53	58.74	65.80	836
837	0.139	2.375	2.653	3.53	60.32	67.38	837
838	0.139	2.437	2.715	3.53	61.90	68.96	838
839	0.139	2.500	2.778	3.53	63.50	70.56	839
840	0.139	2.563	2.841	3.53	65.10	72.16	840
841	0.139	2.625	2.903	3.53	66.67	73.73	841
842	0.139	2.687	2.965	3.53	68.26	75.32	842
843	0.139	2.750	3.028	3.53	69.85	76.91	843
844	0.139	2.813	3.091	3.53	71.44	78.50	844
845	0.139	2.875	3.153	3.53	73.02	80.08	845
846	0.139	2.937	3.215	3.53	74.60	81.66	846
860	0.210	4.625	5.045	5.33	117.48	128.14	860
861	0.210	4.750	5.170	5.33	120.65	131.31	861
862	0.210	4.875	5.295	5.33	123.83	134.49	862
863	0.210	5.000	5.420	5.33	127.00	137.66	863
864	0.210	5.125	5.545	5.33	130.18	140.84	864

O-Ring British Standard BS Sizes



Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
865	0.210	5.250	5.670	5.33	133.35	144.01	865
866	0.210	5.375	5.795	5.33	136.53	147.19	866
867	0.210	5.500	5.920	5.33	139.70	150.36	867
868	0.210	5.625	6.045	5.33	142.88	153.54	868
869	0.210	5.750	6.170	5.33	146.05	156.71	869
870	0.210	5.875	6.295	5.33	149.23	159.89	870
872	0.275	6.126	6.676	6.99	155.60	169.58	872
874	0.275	6.374	6.924	6.99	161.90	175.88	874
876	0.275	6.626	7.176	6.99	168.30	182.28	876
878	0.275	6.874	7.424	6.99	174.60	188.58	878
880	0.275	7.126	7.676	6.99	181.00	194.98	880
882	0.275	7.374	7.924	6.99	187.30	201.28	882
884	0.275	7.626	8.176	6.99	193.70	207.68	884
886	0.275	7.874	8.424	6.99	200.00	213.98	886
901	0.056	0.185	0.297	1.42	4.70	7.54	901
902	0.064	0.239	0.367	1.63	6.07	9.33	902
903	0.064	0.301	0.430	1.63	7.65	10.91	903
904	0.072	0.351	0.495	1.83	8.92	12.58	904
905	0.072	0.414	0.558	1.83	10.52	14.18	905
906	0.078	0.468	0.624	1.98	11.89	15.85	906
907	0.082	0.530	0.694	2.08	13.46	17.62	907
908	0.087	0.644	0.818	2.21	16.36	20.78	908
909	0.097	0.706	0.900	2.46	17.93	22.85	909
910	0.097	0.755	0.949	2.46	19.18	24.10	910
911	0.116	0.863	1.095	2.95	21.92	27.82	911

O-Ring British Standard BS Sizes



Size: BS1806	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM	Size: BS1806
912	0.116	0.924	1.156	2.95	23.47	29.37	912
913	0.116	0.986	1.218	2.95	25.04	30.94	913
914	0.116	1.047	1.279	2.95	26.59	32.49	914
916	0.116	1.171	1.403	2.95	29.74	35.64	916
918	0.116	1.355	1.587	2.95	34.42	40.32	918
920	0.118	1.475	1.711	3.00	37.47	43.47	920
924	0.118	1.720	1.956	3.00	43.69	49.69	924
928	0.118	2.090	2.326	3.00	53.09	59.09	928
932	0.118	2.337	2.573	3.00	59.36	65.36	932